
This is not an ADB material. The views expressed in this document are the views of the author/s and/or their organizations and do not necessarily reflect the views or policies of the Asian Development Bank, or its Board of Governors, or the governments they represent. ADB does not guarantee the accuracy and/or completeness of the material's contents, and accepts no responsibility for any direct or indirect consequence of their use or reliance, whether wholly or partially. Please feel free to contact the authors directly should you have queries.

BETTER AIR QUALITY Conference Manila 2023 Nov.

Environmental and Health Benefits of Clean Heating and Cooking in Rural China中国农村居民清洁取暖与炊事方案及成本效益分析

S. Tao, G.F. Shen, H.F. Cheng et al., 陶澍 沈国锋 程和发等 Peking University, Southern University of Science & Technology 北京大学、南方科技大学 ■ From emission inventory compilation to decision supporting 从清单构建到决策支持



■ From PKU inventories to GEMS PKU清单的全面更新

Pollutants CO2, CO, SO2, NOx, PM2.5, PM10, TSP, BCchar, BCsoot, OC, BrC, Hg, PAHs, et

Sources Six sectors, five fuel types, and 147 detailed categories


Coverage Global from 1960 to 2019

Resolutions $0.1^{\circ} \times 0.1^{\circ}$, monthly/daily


■ Major updating 主要更新

First-hand surveys, field observations, remote-sensing data, and the literature

Chen et al., ES&T 2013
Wang et al., ACP 2013
Huang et al., ES&T 2014
Wang et al., PNAS 2014
Huang et al., AE 2015
Shen et al., AE 2015
Zhong et al., ERL2016
Meng et al., ES&T 2017
Huang et al., ES&T 2020
Xu et al., ES&T 2022
Li et al., submitted







Air pollution and residential solid fuels

■ Air pollution in China 中国的空气污染


Air quality has been improved since 2014

A long way to go to meet the national standard / WHO guideline

■ Residential emissions 生活源排放的重要性

Residential solid fuels

Contribute substantially to both ambient and indoor air pollution



Meng et al., ES&T, 2021



Survey on household energy mix

■ Data gap and high uncertainty 数据缺口和不确定性

Free biomass fuels were not well accounted, most likely overestimated

Stacked energy use increases challenges household energy statistics

■ Household energy survey and fuel-use weighting 生活能源调查和称重


Questionnaires >90,000 from two campaigns (1992-2012, 2017)

Fuel-use weighting ~4340 Household days

Emission tests ~ 3000 tests

Tao et al., Nature Energy 2018; Shen et al., Nat. Sci. Rev. 2022







Energy types used for cooking and heating

■ Solid fuels 固体燃料

Coal and biomass fuels contribute almost equally

Cooking

92% in 1992, 41% in 2012, 24% in 2021 driven by living condition improvement


Heating

98% in 1992, 85% in 2012, 73% in 2021 in middle China with short heating per

intervention in North China Plain

■ Clean energy 清洁燃料

Relative clean at user end




■ Contributions along the process chain 民用能源沿过程链的贡献

Energy use \rightarrow emissions \rightarrow air PM2.5 \rightarrow exposure \rightarrow premature deaths Energy use 7%; emissions \sim 20%, ambient air \sim 20% Indoor air, exposure, and premature deaths >66%

■ Indoor exposure 室内暴露


Contributes predominantly to population exposure



Yun et al., Sci. Adv. 2020

Standard Sci. Adv. 2020

Coałcooking Coałheating Biomassooking Biomassoeking Biomassheating




Health Benefits in clean transition


■ Health benefits in clean transition 自发转型的健康收益

Attributable for **700,000** and **400,000** premature deaths in 1980 and 2021 Relative contributions declined from 96% to 70% during that period

■ Clean heating campaign 清洁取暖行动计划

The campaign in North China Plain led to a reduction in exposure from 135 μg/m³ to 78 μg/m³





■ Cooking energy 清洁炊事能源


Electricity


rice cooker, induction cooker, electric oven, microwave oven, ...

Liquified petroleum gas, LPG

■ Intervention 干预

To accelerate the transition for remained 22% households in less developed areas







Heating demand zoning

■ Heating zoning 取暖分区

Long-term HD > 15 days

Short-term HD 1-15 days


No heating HD = 0

43% population and 61% area

48% population and 33% area

9% population and 6% area

most between half to three months most less than 3 days



■ Heating demand 取暖需求

HD < 15 days with low HDD most in middle China

No heating traditionally increased heating demand as living conditions improved

■ Heating 取暖方式

Cannot to heat the entire house due to poor airtightness

Convenient and inexpensive to use electric heaters or convection heaters limited space and time

Tao et al., Nature Energy 2018

| 1992 OHD-40 O 2002 OHD-150 OHD-150

Clean heating in the long-term heating zone

■ Heating demand 取暖需求

HD > 15 days with high HDD north, northeast, and west

■ Traditional heating 取暖方式

Permanent heating facilities required stoves, heating bed, heating wall ... with low thermal efficiencies Solid fuels coal, fuelwood, animal dung ... with high emissions

Clean heating 清洁取暖方式

Electricity air source heat pump, electric heaters, and convection heaters

Natural gas gas heater





■ Where clean heating is too expensive 不能负担电取暖地区

Areas with low population density or income

■ Alternatives 替代选择

Pressed biomass fuels or coal briquettes + clean stoves 8,000 households in Yantai

Emissions: air pollutants and carbon incomplete combustion products, NOx, ultrafine PM, CO₂

■ Other measures 辅助手段

Building insulation, ventilation, air purification ... to reduce emissions/exposure














Clean cooking costs

Electricity

LPG

Intervention

600 RMB for electric cookers, 1,000 RMB/year for electricity

300 RMB for gas container/range, 1,200 RMB/year for LPG

To provide 44 million rural households with equipment at discount prices

Clean heating costs

Infrastructure cost 基建成本
Equipment cost 户用设备成本
Operational cost 运行成本
Electricity/gas, coal




咸排效果


■ Clean heating 清洁取暖減排 Nonlinear response from H0 to H1

■ Clean cooking 清洁炊事减排

Almost proportional to clean heating rate

Exceptions: CO₂, NOx, ultrafine particles





■ Contributions to ambient air PM2.5 对室外大气PM2.5的影响


Significant reduction by electricity heating from 0.91μg/m³ (H0) to 0.57 μg/m³ (H3)


Significant reduction by clean cooking from 1.09 μ g/m³ (H0) to 0.66 μ g/m³ (50%)

Combined effect from 2.00 μ g/m³ (H0) to 1.23 μ g/m³ (H3-50%)

■ Contributions to indoor air PM2.5 对室内空气PM2.5的影响

Similar to that to ambient air for all long, short, and no heating zones





Effects on exposure and health

■ Population exposure 降低人群暴露


Similar to that on indoor air adults spend 86% time indoor


■ Avoided premature deaths annually 减少过早死亡

Clean heating (H3) **42,000**

Clean cooking (100%) **79,000**

Clean heating (H3) + cooking (100%) **114,000**





Cost-benefit analysis

■ Total cost for clean heating and cooking 清洁取暖和炊事总投入

H3 clean heating scenario + 100% clean cooking 162 billion RMB, 0.13% GDP

■ Monetized health benefit 货币化的健康效应

Based on a value of a statistical life from the literature, VSL additional benefits

Cost-best analysis


VSL/Cost all above 1

Clean cooking is more effective

no infrastructure investme

high uncertainty

VSL, modeling ...



Take-home massage

Clean cooking 清洁炊事

Electricity and liquified natural gas are highly beneficial

推行电和液化石油气

Clean heating 清洁取暖

Electricity using air source heat pump is recommended if affordable 成本许可时使用气源热泵 Nature gas is not preferred due to cost, safety, and security reasons Pressed biomass fuels can be promoted as an alternative 不适合用电,考虑压块生物质等

天然气昂贵,不安全且缺乏保障

Supplementary measures 辅助手段

Ventilation, building insulation, air purification ...

通风、建筑保温和空气净化等



谢谢



Guofeng Shen – gfshen12@pku.edu.cn

Shu Tao- taos@pku.edu.cn

资助项目

中科院先导专项、国家自然科学基金,能源基金会

Clean heating program in north China

■ Coal to gas/electricity in 2+26 散煤替代

Initial objective – reduce wintertime haze, 60% clean heating in rural areas

Adjusted by depreciation rate and inflation

■ Significant health benefits 显著的健康效益


Ambient PM_{2.5}: 12 to 5 μ g/m³; Indoor PM_{2.5}: 209 to 89 μ g/m³;

Exposure levels were reduced by about 60%


Meng et al., PNAS 2018











■ Annualized cost for 2+26 年化成本

The sum of the initial investment, operational cost, maintenance cost, and avoided cost

Adjusted by depreciation rate and inflation

■ Comparison 电/气对比


Electricity 2,190 RMB/household vs. Natural gas 2,720 RMB/household

Initial investment electricity > natural gas

Operational cost gas > expensive

Other costs similar

Meng et al., ES&T 2023



Electricity or natural gas?

■ Clean heating campaign in North China Plain 2+26地区的清洁取暖行动

Natural gas or electricity 56% or 44%

Less developed areas tended to choose natural gas 2,720 vs. 2,190 RMB/household

lower initial investment, but heavier financial burden in long-term

■ Additional pros and cons 其它利弊

Operational safety

Energy security

Emissions of CO2, NOx, and PM

Suitability for Chinese dish preparation

■ Conclusion 关键结论

Natural gas is not recommended



■ Intervention pilot programs "美丽中国"先导专项

Clean coals, biomass pellets, etc., ~ 2200 Homes

Field measurements on pollutant emissions; indoor air quality;


Policy recommendations in building BEAUTIFUEL AND HEALTH CHINA

Indoor air quality improvement

Gas/electricity for cooking; Ventilation

Subside and equality issues







Men et al., Unpublished data

Urban household energy transition

■ Clean heating campaign in North China Plain 2+26地区的清洁取暖行动

Urban population increased from 1980 - 2014 by 148% from 1980 to 2000


Energy use increased especially after 2000 10% in TJ; Clean energy 2% to 71%

Most air pollutant emissions declined obviously


Health benefits

 ~ 2.0 million premature deaths avoided over the 30 years

Indoor air quality improvement contributed largely



Zhang et al., One Earth 2021



优先控制生活部门的煤炭

Coal consumption

Total coals: 0.35 to 3.47 Pg; Residential use: 0.13 to 0.15 Pg

Emissions


Different in sectors by pollutants; Residential shares are generally declining

Health impacts

50% due to coal use, of which residential sector contributed 34%

~ 40 times as "deaths per Tg coals" in the residential sector compared to others

Yun et al., **ES&T 2021**



Different pathways in pollution source controls

Exposure as a non-linear function of residential and non-residential emission reduction

Outdoor $\overline{PM}_{2,5}$: a heavy emphasis on nonresidential emissions;

Co-reduce coal and biomass emissions;

more emphasis on heating (1.48:1) and rural areas (2.4:1) can lead to better results

A simple theoretical analysis

Perpendicular to the contoured isoclines

Further details in technologies and cost-benefits analysis

